


COVID-19 Ambulatory Therapy Pathway

Approved: COVID-19 Clinical Care Pathway Steering Committee Pharmacy (K. Molina, M. Miller) ID (M. Barron, L. Pisney) CQO (J. Wiler) V4_4/22/22

Printed 5/11/2022 2:22:49 PM by Lisa Casanova-Sidoti



- Self-scheduling for Evusheld through My Health <u>Connection</u> (MHC) typically, 48 hours after the order is placed
- IF unable to use MHC: Instruct patient to call HealthLink (720) 462-2255 at least 24 hours after order placement
- Patients who have recently been vaccinated or received a COVID-19 booster should wait at least 14 days before receiving Evusheld

Evusheld Criteria

- Link with video demonstration for Evusheld ordering
- Ordering Tip Sheet

- Paxlovid: nirmatreliver 300 mg PO (two 150 mg tablets) with ritonavir 100 mg (one 100 mg tablet) taken together twice daily for 5 days, OR
- Five Required Clinician Validations when prescribing Paxlovid
- Please review Paxlovid contraindications before ordering
- Multiple pharmacies across the state are able to dispense Paxlovid. See the link below to select the one most convenient for your patient.
- Link to Colorado pharmacies stocking/dispensing COVID medications
- Molnupiravir 800 mg (four 200 mg capsules) taken orally every 12-hours for 5 days
- Four Required Clinician Validations when prescribing <u>Molnupiravir</u>

- Clinician Ordering Instructions: Epic Therapy Plan Ordering Instructions
 - Note: When ordering via Therapy Plan, HealthLink will reach out to patient to schedule
 - Self-scheduling for IV therapy is also available through (MHC) My Health Connection without a provider order
 - If unable to use MHC: Instruct patient to call HealthLink (720) 462-2255 at least 24 hours after order placement
- Following infusion, the patient should remain at the infusion site for a one-hour observation
- The anticipated total appointment time is about 1-3 hours depending on the administration modality
- No dosage adjustments are needed for kidney or liver impairment
- Currently, the medication is provided at no cost; however, infusion and/or facility fees may apply
- Self-scheduling for IV therapy through My Health Connection (MHC) is available without a provider order
- IF unable to use MHC: Instruct patient to call HealthLink (720) 462-2255 at least 24 hours after order placement

IF bebtelovimab is not available, Remdesivir continues to be available.

• The patient must be able to commit to three (3) consecutive infusion appointments

• Remdesivir 200 mg IV x 1 dose THEN Remdesivir 100 mg IV x 2 doses in 3 consecutive days (Note: when ordering Remdesivir, please select both Remdesivir links)

• Clinician Ordering Instructions: Epic Therapy Plan Ordering Instructions

- Note: When ordering via Therapy Plan, HealthLink will reach out to the patient to schedule
- Self-scheduling for IV therapy through (MHC) My Health Connection is available without a provider order
- If unable to use MHC: Instruct patient to call HealthLink (720) 462-2255 at least 24 hours after order placement

If any of the following occur, the patient may not receive therapy even if ordered:

- They are hypoxic and require supplemental oxygen, and/or are otherwise hemodynamically unstable
- There is no remaining supply
- More than 7 days have passed since their symptoms started dependent on treatment prescribed

1/1

https://www.agilemd.com/flowcharts/author/modules/mo_1052421deac026e5/files/fi_14280e0aca002b24